Miele

Guard L1 AllFloor Cylinder vacuum cleaner powerful | DynamicDrive | one brush for all types of flooring



- ComfortFit: developed for the highest hygiene standards
- Durable: tested for the equivalent of 20 years'* use
- For effortless cleaning: 2-in-1 upholstery and crevice nozzle
- AllFloor floorhead: one brush for all floors – without the need to switch
- Individually selectable height and ergonomic Comfort handle
- AirClean Plus filter: more than $99.99\,\%^{**}$ dust retention capacity
- Quiet and gentle: DynamicDrive
- Ideal power for every cleaning task: 4 selectable modes
- Premium design concept with stylish applications

miele.com/20years

EAN: 4002516833093 / Material number: 12652280 / Old Material Number: 41USF038GB

Old Material Number: 41USF038GB	
Construction type	
Cylinder vacuum cleaner with dustbag	•
Product brand	Guard L1
Motor type	PowerLine
Product type	SUSF0
Construction type and design	
Appliance colour	Obsidian black
User convenience	
Electronic suction power control	+/- footswitches
Illuminated power indicator	•
Suction tube	Suction tube X(HES)
Park system for pauses during vacuuming	•
Comfort cable rewind	•
Comfort handle 2.0	•
Mobility	
Castors with steel shaft, gentle on floors	•
Dynamic Drive	•
Operating radius in m	12
Cable length in m	8.5
Filter system	
Vacuum cleaner bag type	HyClean Pure TU
Dustbag volume in I	3.5
Dustbag change indicator	•
Exhaust filter	AirClean Plus filter
Motor protection filter	•
Safety	
Locking system for floorhead and handle	•
Automatic dustbag positioning	•
Technical data	
Power	890
Volume in dB	74.0
Width in mm	500
Height in mm	239
Depth in mm	28.80
Weight in kg	6.6
Accessories included	0.0
Three-piece accessory set	Integrated
Upholstery nozzle	•
Crevice nozzle	•
Dusting brush	•
Floorhead SBD 365-3	•
Floorbrush SBB AllFloor	•
HyClean Pure TU vacuum cleaner bag	•
Voucher for HyClean Pure TU	*

^{*} During the development phase of the advertised Guard vacuum cleaner series, Miele tested models and core components at various power levels for 750 hours of use (= 37.5 hours p.a.). More:

^{**} In accordance with IEC 62885-2:2021