

## N 30, BUILT-IN DOUBLE OVEN U1DCCOAK3B







## Included accessories

3 x combination grid, 1 x universal pan

## Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CR10X0 Baking and roasting grid (standard), Z11GU20X0 Glasspan, Z11TI15X0 Cliprails, Z12CB10A0 Baking tray, enamelled, Z12CL10A0 Lid for professional pan, enamelled, Z12CM10A0 Moussaka pan, enamelled, Z12CN10A0 Professional pan, enamelled, Z12CP10A0 Pizza pan, enamelled, Z12CU10A0 Multipurpose pan, enamelled, Z1365WX0 Wireless food thermometer, Z1608BX0 Full ext rails, level independent, Z1650BE0 Half tray, Z1655CA0 Air Fry & Grill tray, Z1913X0 Baking Stone

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- $\sqrt{\rm CircoTherm^{\odot}}$  Smart hot-air solution that lets you bake on up to three levels at once.
- $\sqrt{\text{LED-Display simple, straightforward for clear reading}}$

## Features

Technical Data	
Built-in / Free-standing:	
Integrated Cleaning system:	
Dimensions:	94x550 mm
Dimensions of the packed product (HxWxD): . 960 x 660 x 690 mm	
Control Panel Material:	Glass
Door Material:	Glass
Net weight:	49.5 kg
Usable volume of cavity:	71 l
Cooking method: Full width grill, Hotair gen	tle, Hot Air,
Conventional heat, Hot air grilling	
Oven control:	mechanical
EAN code:4242	004281788
Energy efficiency rating:	
Energy consumption per cycle conventional (2010/30/EC): 1.02	
kWh/cycle	
Energy consumption per cycle forced air convection	
(2010/30/EC):	1 kWh/cycle
Energy efficiency class (2010/30/EC) - cavity 2:	В
Energy consumption per cycle conventional - cavity 2	
(2010/30/EC):	
Energy efficiency index (2010/30/EC):	95.3 %
Energy efficiency index cavity 2 (2010/30/EC):	120.3 %
Connection Rating:	5900 W
Fuse protection:	32 A
Voltage:	220-240 V
Frequency:	50 Hz
Plug type:	, ,
(electrical connection by electrician), fixed connection (electrical	
connection by electrician)	
Included accessories:3 x combination grid, 1 x u	niversal pan





## N 30, BUILT-IN DOUBLE OVEN U1DCCOAK3B

#### Features

#### Features

#### Top oven additional features

- Oven with 3 heating methods: Top/bottom heat, Full surface grill, Small area grill
- Temperature range 50 °C 275 °C
- Cavity volume: 34 Litre

#### Main oven additional features

- Oven with 5 heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® gentle
- Temperature range 50 °C 275 °C
- Cavity volume: 71 litre

#### Level independent telescopic rails

#### Top oven

 Oven with 5 heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® gentle

#### Main oven

- 4 shelf positions
- Available as an accessory

#### Design

- Elongated designed dials, round
- Cavity (inner surface) top: Enamel grey
- Cavity (inner surface) bottom: enamel anthracite

#### Cleaning

## Top oven

• full-glass medium

#### Main oven

• Full glass inner door

## Programmes/functions

- LED Display (Red)
- Electronic clock timer
- Automatic start
- Heating up indicator
- Interior halogen light
- Bar handle

#### Top oven

• Door hinge small cavity: bottom

#### Main oven

- Door hinge big cavity: Drop down door
- Manual rapid heating up
- Cooling fan

#### Accessories

 $\bullet$  3 x combination grid, 1 x universal pan

## Features

#### Top Oven

• 50 °C

#### Main Oven

#### Main oven

- Heat reflective glass
- Control panel lock
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode: 0.83 kWh
- Energy consumption per cycle in fan-forced convection mode:0.81 kwh
- Number of cavities: Main Cavity Heat source: electrical

#### Technical information

- Nominal voltage: 220 240 V
- Total connected load electric: 5.9 KW

#### Top oven

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kwh
- Number of cavities: Top Cavity Heat source: electrical

#### Performance/technical information

- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- • Niche dimension (hxwxd): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual



# N 30, BUILT-IN DOUBLE OVEN U1DCCOAK3B

# TIDCCUAK3B



